



SMART KEY & SMART LOCK SYSTEM

Features

- Key-centric access control system
- Battery-less lock
- Direct replacement of existing lock, ideal for retrofitting. No wiring required
- Configurable intelligent keys through easy to use software
- Able to grant access rights according to authorised personnel and time
- Remote access control through handphone NFC technology
- Over 170 lock cylinder designs available
- Audit trail for accountability and integrity

Application and Functional Description



Transport and Logistics

Containers/Warehouses/
Depots/Checkpoints



Telecom and Data Centers

Data Center Racks



Airport

Air Hangar/Restricted Access
Area/Perimeter Gates



Corporate Offices

Meeting Rooms/
Cabinets/Server Rooms



Water Plants & Public Utility Facilities

Risers/Substations/
Equipment Storage/
Hydro-electricity Facilities/
Water Storage Tanks



Petrochemical Plants and Construction Sites

Storage of Controlled
or Hazardous Items/
Control Valve Locks/
Mobile Vehicles



SINGAPORE OFFICE

JME Global Pte Ltd
8 Ubi Road 2, #08-04 Zervex
Singapore 408538

Tel: +65 9673 2348
+65 9154 8228

Overall System Diagram



- The mechanical lock cylinders can be replaced easily with the Smart Lock Cylinders. A mode of access control for the locks is set up easily without having to go through the added hassle of cabling and messy wiring. Cost savings on cabling.
- With the Key Management Software (KMS-PRO) and the uniqueness of the lock cylinder design, the system gives a new dimension to the security industry.
- With a range of locks of up to over 170 different types, there is always a type of lock in our Smart Lock range that can suit any specific need, regardless of the industry or operating environment, as long as the lock profile is of euro profile. Non-euro profile locks may require customization.
- The Desktop Access Reader/Encoder is connected to a computer to configure the key access rights, reporting of lost keys, lock data and retrieving of key access data. It is connected to the PC via a USB port.

SINGAPORE OFFICE

JME Global Pte Ltd
8 Ubi Road 2, #08-04 Zervex
Singapore 408538

Tel: +65 9673 2348
+65 9154 8228

Key Management Software

Who	User Name	When	Event Type	Where
	user01 user01	2015-04-07 19:21:40	Open Lock Successfully	lock05
	user02 user02	2015-04-07 19:26:11	No privilege to open the door	lock02
	user02 user02	2015-04-07 19:26:00	No privilege to open the door	lock02
	user02 user02	2015-04-07 19:23:36	No privilege to open the door	lock04
	user02 user02	2015-04-07 19:23:27	No privilege to open the door	lock02
	user02 user02	2015-04-07 19:23:29	No privilege to open the door	lock02
	user02 user02	2015-04-07 19:23:11	No privilege to open the door	lock02
	user02 user02	2015-04-07 19:23:00	No privilege to open the door	lock02
	user01 user01	2015-04-07 19:12:00	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:11:53	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:11:46	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:11:31	Open Lock Successfully	lock04
	user01 user01	2015-04-07 19:11:21	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:23:32	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:23:02	Open Lock Successfully	lock05
	user01 user01	2015-04-07 19:07:59	Open Lock Successfully	lock05
	user02 user02	2015-04-07 19:04:53	Open Lock Successfully	lock01
	user02 user02	2015-04-07 19:04:42	No privilege to open the door	lock05
	user02 user02	2015-04-07 19:02:47	Open Lock Successfully	lock01
	user02 user02	2015-04-07 19:02:36	Open Lock Successfully	lock01
	user02 user02	2015-04-07 19:02:26	Open Lock Successfully	lock01

KMS-PRO Integrated Key Management System

The professional Key Management Software (KMS-PRO) can support up to 64,000 locks (including lock groups) and 64,000 keys (including key groups) and 200 time zones. These keys can be programmed/deleted and data can be uploaded for audit trail purposes to ensure accountability and integrity.

The Key Management Software is dedicated to manage access rights of every user. The key user is only allowed to work within the stipulated time as assigned. The keys have authorised access rights.

Each transaction will be logged in the key as well as the lock and can be retrieved via the encoder/reader for audit purposes.

SINGAPORE OFFICE

JME Global Pte Ltd
8 Ubi Road 2, #08-04 Zervex
Singapore 408538

Tel: +65 9673 2348
+65 9154 8228

System Components



Administration Key



User & Supervisor Key



Standard Half AA Size
Lithium Battery Replacement.
Very little maintenance

**Battery life: More than 25,000
times operation.**

Administration Key: The Administration Key is used to change the lock code, to modify the lock code, to set the lock number, to upload blacklisted users or retrieve log events from the lock.

User & Supervisor Key: This key is used to set up 2 levels of authorization. The first level is for users. The next level is for supervisor for overall control.

Maintenance: Only maintenance requires a change of the standard half size AA lithium battery in the key. When battery life is low, a signal will be alerted in the key. The battery life is about 2 years and supports more than 25,000 times of key open and close operations

SINGAPORE OFFICE

JME Global Pte Ltd
8 Ubi Road 2, #08-04 Zervex
Singapore 408538

Tel: +65 9673 2348
+65 9154 8228

Riser Door Lock Cylinders



3 typical Smart Lock Cylinders for riser doors

A. Single-way lock cylinder

- requires a key to unlock door to get inside the riser. The door cannot be locked from the inside.

B. Single-way lock cylinder with button knob exit

- requires a key to unlock door to get inside the riser. The door can be locked/unlocked from inside by turning the knob/button.

C. Two-way lock cylinder.

- requires a key to unlock door to get inside the riser. The door can be locked/unlocked from inside by using a key only.



Easy installation by replacement of cylinder

- Riser door cylinders are easy to install and programmed like any other Smart Lock Cylinders.
- The KMS Pro software is used for managing riser door cylinders.
- No wiring or cabling is required in installing the riser door cylinders.

SINGAPORE OFFICE

JME Global Pte Ltd
8 Ubi Road 2, #08-04 Zervex
Singapore 408538

Tel: +65 9673 2348
+65 9154 8228